



Fenwick™ Heavy Duty Series

Fenwick™ Heavy Duty Seating

The Fenwick heavy duty chair comfortably supports workers up to 400 pounds with a 24" seat, heavy-duty mechanism, frame, platform construction, and dual-density cushions on both the seat and back. It includes solid ergonomics such as back height adjustment, seat height adjustment, height and width adjustable armrests, and sliding seat depth adjustment (to fit leg length).



290-01HDSS



294-01HDSS



690-01HDSS

690 Mid Back Chair Specifications



690-01HDSS-WAAT - Heavy duty, 400 lb weight capacity

Mid Back Heavy Duty Multi-Tilter - Pneumatic, soft descent seat height adjustment. Backrest height adjustment. Independent, infinite position back and seat angle adjustment with tilt lock control. Tilt-tension adjustment. Side activated seat depth adjustment (seat slider). Forward seat tilt lock control. Dual density heavy duty foam on seat and backrest cushions. Recommended for 24hr and heavy duty applications. **Height and width adjustable arms with soft polyurethane arm caps are standard and included.**



690-01HDSS-WAAT Standard WAAT armrests included.

690-27HD-WAAT Heavy duty, 400 lb weight capacity

Mid Back Heavy Duty Synchro - Pneumatic, soft descent seat height adjustment. Fixed height backrest. Independent, infinite position back and seat angle adjustment with tilt lock control. Tilt-tension adjustment. Seat depth adjustment (seat slider). High density seat and backrest cushions. Recommended for 24hr and heavy duty applications. **Height and width adjustable arms with soft polyurethane arm caps are standard and included.**

690-14HD-WAAT Heavy duty, 400 lb weight capacity

Mid Back Heavy Duty Task Seating - Pneumatic, soft descent seat height adjustment. Back height and angle adjustment. High density seat and backrest cushions. Recommended for 24hr and heavy duty applications. **Height and width adjustable arms with soft polyurethane arm caps are standard and included.**

Seat			Back		Shipping	
Height	Width	Depth	Height	Width	Lbs	Cube
19-23.75"	24"	20"	24"	20"	78	13

Fenwick™ Heavy Duty Seating

290 High Back Chair Specifications



290-01HDSS-WT - Heavy duty, 400 lb weight capacity

High Back Heavy Duty Multi-Tilter - Pneumatic, soft descent seat height adjustment. Backrest height adjustment. Independent, infinite position back and seat angle adjustment with tilt lock control. Tilt-tension adjustment. Front activated seat depth adjustment (seat slider). Forward seat tilt lock control. Dual density heavy duty foam on seat and backrest cushions. Recommended for 24hr and heavy duty applications. **Height and width adjustable arms with soft polyurethane arm caps are standard and included.**

290-27RHD-WT Heavy duty, 400 lb weight capacity

High Back Heavy Duty Synchro - Pneumatic, soft descent seat height adjustment. Ratchet type backrest height adjustment. Independent, infinite position back and seat angle adjustment with tilt lock control. Tilt-tension adjustment. Front activated seat depth adjustment (seat slider). Dual density seat and backrest cushions. Recommended for 24hr and heavy duty applications. **Height and width adjustable arms with soft polyurethane arm caps are standard and included.**

290-14HD-WT Heavy duty, 400 lb weight capacity

High Back Heavy Duty Task Seating - Pneumatic, soft descent seat height adjustment. Back height and angle adjustment. High density seat and backrest cushions. Recommended for 24hr and heavy duty applications. **Height and width adjustable arms with soft polyurethane arm caps are standard and included.**

290-27R-WT Standard WT armrests included

Seat			Back		Shipping	
Height	Width	Depth	Height	Width	Lbs	Cube
19-23.75"	24"	20"	24"	19"	75	13

294 Executive Back Chair Specifications



294-01HDSS-WT - Heavy duty, 400 lb weight capacity

Executive Back Heavy Duty Multi-Tilter - Pneumatic, soft descent seat height adjustment. Backrest height adjustment. Independent, infinite position back and seat angle adjustment with tilt lock control. Tilt-tension adjustment. Front activated seat depth adjustment (seat slider). Forward seat tilt lock control. Dual density heavy duty foam on seat and backrest cushions. Recommended for 24hr and heavy duty applications. **Height and width adjustable arms with soft polyurethane arm caps are standard and included.**

294-27RHD-WT Heavy duty, 400 lb weight capacity

Executive Back Heavy Duty Synchro - Pneumatic, soft descent seat height adjustment. Ratchet type backrest height adjustment. Independent, infinite position back and seat angle adjustment with tilt lock control. Tilt-tension adjustment. Front activated seat depth adjustment (seat slider). Dual density seat and backrest cushions. Recommended for 24hr and heavy duty applications. **Height and width adjustable arms with soft polyurethane arm caps are standard and included.**

294-14HD-WT Heavy duty, 400 lb weight capacity

Executive Back Heavy Duty Task Seating - Pneumatic, soft descent seat height adjustment. Back height and angle adjustment. High density seat and backrest cushions. Recommended for 24hr and heavy duty applications. **Height and width adjustable arms with soft polyurethane arm caps are standard and included.**

294-01HDSS-WT Standard WT armrests included

Seat			Back		Shipping	
Height	Width	Depth	Height	Width	Lbs	Cube
19-23.75"	24"	20"	30"	21"	78	13