



# Supportech™ Series

# Supportech™ Series



## 250 Low Back Chair Specifications



250-03 shown with optional AAT armrests.

### 250-01

Low Back Multi-Tilter - Pneumatic, soft descent seat height adjustment. Backrest height adjustment. Independent, infinite position back and seat angle adjustment with tilt lock control. Tilt-tension adjustment. Forward seat tilt lock control. Injection molded seat and backrest cushions.

### 250-03

As above with side activated seat slider.

### 250-03R

As above with ratchet back height adjustment.

### 250-04

Low Back Synchro-Knee Tilter - Pneumatic, soft descent seat height adjustment. Side activated seat depth adjustment (seat slider). Ratchet back height adjustment. Tilt-tension adjustment. Synchronized seat and back movement in a 3:1 ratio and 5 position tilt-lock control. Injection molded seat and backrest.

### 250-14

Should be used when adding stool kit. Pneumatic, soft descent seat height adjustment. Backrest height and angle adjustment.

| Seat      |       |       | Back   |       | Shipping |      |
|-----------|-------|-------|--------|-------|----------|------|
| Height    | Width | Depth | Height | Width | Lbs      | Cube |
| 19-23.75" | 20"   | 19"   | 19"    | 19"   | 45       | 9    |

## Armrest Options

AAT Height Adjust



WAAT Adds Width

TAT



Height, Telescope, Lateral In/Out

AT Height Adjust



WT Adds Width

MAT



Height, Width, Telescope, Lateral In/Out with Lock  
WMAT Adds Width

AHR



Height, Tilt

## 260 Mid Back Chair Specifications



260-03 shown with optional AAT armrests.

### 260-01

Mid Back Multi-Tilter - Pneumatic, soft descent seat height adjustment. Backrest height adjustment. Independent, infinite position back and seat angle adjustment with tilt lock control. Injection molded seat cushion.

### 260-03

As above with side activated seat slider.

### 260-03R

As above with ratchet back height adjustment.

### 260-04

Mid Back Synchro-Knee Tilter - Pneumatic, soft descent seat height adjustment. Seat depth adjustment (seat slider). Ratchet back height adjustment. Tilt-tension adjustment. Synchronized seat and back movement in a 3:1 ratio and 5 position tilt-lock control. Injection molded seat cushion.

### 260-14

Should be used when adding stool kit. Pneumatic, soft descent seat height adjustment. Backrest height and angle adjustment.

| Seat      |       |       | Back   |       | Shipping |      |
|-----------|-------|-------|--------|-------|----------|------|
| Height    | Width | Depth | Height | Width | Lbs      | Cube |
| 19-23.75" | 20"   | 19"   | 21"    | 19"   | 48       | 9    |

## Armrest Options

AAT Height Adjust



WAAT Adds Width

TAT



Height, Telescope, Lateral In/Out

AT Height Adjust



WT Adds Width

MAT



Height, Width, Telescope, Lateral In/Out with Lock  
WMAT Adds Width

AHR



Height, Tilt



# Supportech™ Series

## 270 High Back Chair Specifications



270-03 shown with optional AAT armrests.

### 270-01

High Back Multi-Tilter - Pneumatic, soft descent seat height adjustment. Backrest height adjustment. Independent, infinite position back and seat angle adjustment with tilt lock control. Tilt-tension adjustment. Forward seat tilt lock control. Injection molded seat and backrest cushions.

### 270-03

As above with side activated seat slider.

### 270-03R

As above with ratchet back height adjustment.

### 270-04

High Back Synchro-Knee Tilter - Pneumatic, soft decent seat height adjustment. Side activated seat depth adjustment (seat slider). Ratchet back height adjustment. Tilt-tension adjustment. Synchronized seat and back movement in a 3:1 ratio and 5 position tilt-lock control. Injection molded seat cushion.

| Seat      |       |       | Back   |       | Shipping |      |
|-----------|-------|-------|--------|-------|----------|------|
| Height    | Width | Depth | Height | Width | Lbs      | Cube |
| 19-23.75" | 20"   | 19"   | 24"    | 19"   | 53       | 9    |

## Armrest Options

### AAT Height Adjust



WAAT Adds Width

### TAT



Height, Telescope, Lateral In/Out

### AT Height Adjust



WT Adds Width

### MAT



Height, Width, Telescope, Lateral In/Out with Lock

WMAT Adds Width

### AHR



Height, Tilt

## Armrest Options

### AAT Height Adjust



WAAT Adds Width

### TAT



Height, Telescope, Lateral In/Out

### AT Height Adjust



WT Adds Width


### MAT



Height, Width, Telescope, Lateral In/Out with Lock

WMAT \$175 Adds Width

### BP



Head Rest

## 280 High Back Chair Specifications



280-03 shown with optional AAT armrests.

### 280-01

High Back Multi-Tilter - Pneumatic, soft descent seat height adjustment. Backrest height adjustment. Independent, infinite position back and seat angle adjustment with tilt lock control. Tilt-tension adjustment. Forward seat tilt lock control. Injection molded seat cushion.

### 280-03

As above with side activated seat slider.

### 280-03R

As above with ratchet back height adjustment.

### 280-04

High Back Synchro-Knee Tilter - Pneumatic, soft descent seat height adjustment. Side activated seat depth adjustment (seat slider). Ratchet back height adjustment. Tilt-tension adjustment. Synchronized seat and back movement in a 3:1 ratio and 5 position tilt-lock control. Injection molded seat cushion.

| Seat      |       |       | Back   |       | Shipping |      |
|-----------|-------|-------|--------|-------|----------|------|
| Height    | Width | Depth | Height | Width | Lbs      | Cube |
| 19-23.75" | 20"   | 19"   | 29"    | 20"   | 60       | 10   |

# Supportech™ Series

## 284 Executive Back Chair Specifications



284-03 shown with optional AAT armrests.

### 284-01

Executive Back Multi-Tilter - Pneumatic, soft descent seat height adjustment. Backrest height adjustment. Independent, infinite position back and seat angle adjustment with tilt lock control. Tilt-tension adjustment. Forward seat tilt lock control. Injection molded seat cushion.

### 284-03

As above with side activated seat slider.

### 284-03R

As above with ratchet back height adjustment.

### 284-04

Executive Back Synchro-Knee Tilter - Pneumatic, soft descent seat height adjustment. Side activated seat depth adjustment (seat slider). Ratchet back height adjustment. Tilt-tension adjustment. Synchronized seat and back movement in a 3:1 ratio and 5 position tilt-lock control. Injection molded seat cushion and backrest.

| Seat      |       |       | Back   |       | Shipping |      |
|-----------|-------|-------|--------|-------|----------|------|
| Height    | Width | Depth | Height | Width | Lbs      | Cube |
| 19-23.75" | 21"   | 19"   | 30"    | 21"   | 60       | 10   |

## Armrest Options

AAT Height Adjust



WAAT Adds Width

TAT



Height, Telescope, Lateral In/Out

AT Height Adjust



WT Adds Width

MAT



Height, Width, Telescope, Lateral In/Out with Lock

WMAT Adds Width

## 285 Executive Back Chair Specifications



285-03 shown with optional LAT armrests.

### 285-01

Executive Back Multi-Tilter - Pneumatic, soft decent seat height adjustment. Backrest height adjustment. Independent, infinite position back and seat angle adjustment with tilt lock control. Tilt-tension adjustment. Forward seat tilt lock control. Injection molded seat cushion. Stitch detail.

### 285-03

As above with side activated seat slider.

### 285-03R

As above with ratchet back height adjustment.

### 285-04

Executive Back Synchro-Knee Tilter - Pneumatic, soft descent seat height adjustment. Side activated seat depth adjustment (seat slider). Ratchet back height adjustment. Tilt-tension adjustment. Synchronized seat and back movement in a 3:1 ratio and 5 position tilt-lock control. Injection molded seat cushion. Stitch detail.

| Seat      |       |       | Back   |       | Shipping |      |
|-----------|-------|-------|--------|-------|----------|------|
| Height    | Width | Depth | Height | Width | Lbs      | Cube |
| 19-23.75" | 20"   | 19"   | 30"    | 21"   | 60       | 10   |

## Armrest Options

AAT Height Adjust



WAAT Adds Width

TAT



Height, Telescope, Lateral In/Out

AT Height Adjust



WT Adds Width

MAT



Height, Width, Telescope, Lateral In/Out with Lock

WMAT Adds Width