



**ERGONOMIC  
COMPUTER  
accessories**

# TABLE ACCESSORIES & LIGHTING

## Cable Trough

- Compatible with most height adjustable tables and standard desks
- Holes to manage and separate cables
- Quick and easy installation - **Using table base hardware**
- 42" long x 4" wide

**CBLT**



## Cable Management System

- Snap-together interlink blocks
- 5" diameter steel base plate
- 46" H x 2.6" W x 1.4" D
- The spine consists of 30 removable vertebrae
- Top hooking element to screw under top surface
- Organize and clean up the appearance of cables
- Cable organizer with four separate cable channels inside
- Provides flexible protection for power and data cables

**CBLM**



## Clamp Mount Power Bar

- UL & cUL certified for use in USA and Canada
- Standard Finish White or Black
- 6' power cord (10' cord length available by special order)

**TVP21100 (6' cord)**

**TVP21100 (10' cord)** special order

SPECIFICATIONS					
125V	AC	60GHz	15A	2	1 x USB-A, 1 x USB-C



Max Desk Thickness  
1.77" / 45mm

## Power Bar

- Aluminum housing
- USB Charger: 5V DC 4.2A (21 Watts) & 2.1A per port (10.5 watts)
- 10' 14AWG x 3C power cord
- Size: 5.5" x 2.2" x 2.1"(139.0 x 57.0 x 53.5 mm)
- UL & cUL certified for use in USA and Canada
- Also available in White

**TV-31100 (SA)**

SPECIFICATIONS					
125V	AC	60GHz	15A	3	2




## Surface Mount 2 Outlet Power Strip with 2 USB

- UL/CSA approved
- 10 ft power supply cable

**PS2-2U-S**

SPECIFICATIONS					
125V	AC	60GHz	12A	2	2




## Surface Mount 4 Outlet Strip

- UL/CSA approved
- 10 ft power supply cable

**PS4-S**

SPECIFICATIONS				
125V	AC	60GHz	12A	4






# TABLE ACCESSORIES & LIGHTING



## Pivoting USB Power Station

- Flush mount requires 4-3/16" grommet hole
- UL/CSA approved
- USB power adaptor included

**PPS3-2U-1P-F**

SPECIFICATIONS						
125V	AC	60GHz	12A	3	2	2



## Powerbar Desk Insert

- Top dimension: 90mm (3-1/2") outside diameter
- Bottom dimension: 76mm \*(3") hole diameter

**PS2-2U-GRO**

SPECIFICATIONS					
125V	AC	60GHz	12A	2	2 (2,4 A total)



## Multifunctional Foldable LED Desk Lamp

- Dimmable: 6 brightness levels, 5 color temperature modes
- Eye Protection: no glaring, ghosting, or flickering
- Adjustable: Multi-angle adjustable head and arm
- Energy saving: 80% less energy than incandescent lamps
- Timer & memory function: 30 mins/60 mins timing, brightness & mode settings
- USB charging: Built-in USB port for smartphones, tablets
- Available in Black **TL-01B** and Silver **TL-01S**


**TL-01B & TL01S**



## Task Light

- Light Source: LED array
- Color Temperature: variable, 5 preset modes
- Lumen output: 300 lumen
- Dimming: 5 levels
- Glare, flicker, shadow and UV free
- Built-in USB charger for mobile devices (DC 5V, 0.7A)

**TL-2000 (SA)**



## Anti-Fatigue Standing Mat

- 100% non-toxic PU material
- Strong tear-resistant material
- Easy to clean, and resistant to common fluids and chemicals
- Reduces pressure on the heels, back, legs, and shoulders
- Contoured beveled design
- Dimensions are 21.6" x 36.5" x 0.63"

**AFM-L**